

B 228

Probably < 0.06^S_A I, II, V.

N.Y.U. No.	Antibody to	mg. Bleeding	Antibody	N per	4 ml. Serum.
101 Adams	C I II V VII	0	0	1	2
		Before			4 1/2 mos
		0.058	0.052	< 0.1 SVII mg.	0.051
		0	0.017		(0.011)
		0	0.010		0.008
102 Baier	C I II V VII	0.003	0.007		0.006
		0.005			0.068 (5 anal.)
		0.033	0.033		
		0.001	0.008		
		0	0.008		
103 Christensen	C I II V VII	0.002	0.004		0.004
		0	0		
		< 0.005	0		
		< 0.012			0.099 (5 anal.)
		0.018	0.016		0.016
104 MacLeod	C I II V VII	< 0.002	0.014		(0.010)
		0	0.008		0.007
		0.062	0.057		0.058
		0.005	0.033		(0.020)
		0.003	0.022		0.015
0.002	0.002		0.001		
0.001			0.068 (5 anal.)		

O Bldg

1

2

105 C
 I
 H
 H
 H
 H
 H
 H

0.019 0.028
 0.002 0.005
 0.025 0.014
 0.081 0.078
 0 0

106 C
 I
 H
 H
 H
 H
 H

0.010 0.013
 0 0
 0.005 0
 0 0
 0.001 0

107 C
 I
 H
 H
 H
 H
 H

0.009 0.008
 0.002 0.105
 0.001 0.028
 0 0
 0.003 0

1.555

108 C
 I
 H
 H
 H
 H
 H

0.018
 0.001
 0.002
 0
 0.004

109 C
 I
 H
 H
 H
 H
 H

0.019 0.016
 0.001 0.013
 0 0.021
 0.001 0
 0.012 0.040

1.555

3 abms.

110 C
 I
 H
 H
 H
 H
 H

0.030
 0
 0.011
 0.001
 0.007

111 C
 I
 H
 H
 H
 H
 H

0.035 0.008
 0.003 0.013
 0.003 0.034
 0.001 0.005
 0.003 0.002
 21

1.555

(5 abms: 1, 5, 8, 15, 2)

112 C
 I
 H
 H
 H
 H
 H

0.023
 0
 0.003
 0
 0.004

B 228 Sioux Falls

O Bldg 1 2 3

Anti	0 Bldg	1	2	3			
113 C	0.022	0.023					
I	0	0.007				1.5 SS	
II	0.005	0.032					
V	0	0					
VII	0.009	0.022	(3 absns.: 8, 11, 3)				
114 C	0.030						
I	0.001						
II	0.012?						
V	Contam. noted						
VII							
115 C	0.014	0.012					
I	0	0.005			1.5 SS		
II	0.001	0.013					
V	0.001	0.001					
VII	0.004	0.075?	(9 absns.: 24, 10, 9, 10, 6, 5, 5, 6, 0. ^{0.025 0.05} ^{sterility test ok. 0.025})				
116 C	0.024	0.023					
I	0.001	0.005					
II	0.001	0.015			1.5 SS		
V	0	0.009					
VII	0.001	0.011					
121 C	11/8/44 0.020	12/1 0.011	0.011	0.034			
I	0.003	0.002	0.002	0.050*		1.5 SS	
II	0.001		0	0.082			
V	0		0	0			
VII	0.001		0.004	0.171	(5 absns.: 16, 55, 55, 10, 2)		
122 C	0.015						
I	0.002						
II	0.002						
V	0						
VII	0.002						
123 C	0.010	0.028					
I	0	0.026				1.5 SS	
II	0.002	0.012					
V	0	0					
VII	0.002	0.058	(3 absns.: 46, 11, 1)				
124 C	0.018	0.045					
I	0	0.019					
II	0	0.029				1.5 SS	
V	0.001	0.009					
VII	0	0.057	(4 absns.: 29, 17, 9, 2)				

Repetn. on B1. (Factor 4.2 approx)
0.002 (probably too much C)

0.071 (4 absns.: 26, 29, 4, 9, 3)
all w/ 0.015 VII, relative
3.5 as much as used in
1st trial.

* multiple absns. nec.